

Fall 10-4-2015

# Measuring surface dislocation nucleation in defect-scarce nanostructures

Daniel Gianola

*University of Pennsylvania, gianola@seas.upenn.edu*

Lisa Chen

*University of Pennsylvania*

Jungho Shin

*University of Pennsylvania*

Mo-rigen He

*University of Pennsylvania*

Gunther Richter

*Max-Planck Institut*

Follow this and additional works at: [http://dc.engconfintl.org/nanomechtest\\_v](http://dc.engconfintl.org/nanomechtest_v)



Part of the [Materials Science and Engineering Commons](#)

---

## Recommended Citation

Daniel Gianola, Lisa Chen, Jungho Shin, Mo-rigen He, and Gunther Richter, "Measuring surface dislocation nucleation in defect-scarce nanostructures" in "Nanomechanical Testing in Materials Research and Development V", Dr. Marc Legros, CEMES-CNRS, France Eds, ECI Symposium Series, (2015). [http://dc.engconfintl.org/nanomechtest\\_v/3](http://dc.engconfintl.org/nanomechtest_v/3)

This Abstract is brought to you for free and open access by the Proceedings at ECI Digital Archives. It has been accepted for inclusion in Nanomechanical Testing in Materials Research and Development V by an authorized administrator of ECI Digital Archives. For more information, please contact [franco@bepress.com](mailto:franco@bepress.com).

## MEASURING SURFACE DISLOCATION NUCLEATION IN DEFECT-SCARCE NANOSTRUCTURES

Daniel S. Gianola, University of Pennsylvania  
[gianola@seas.upenn.edu](mailto:gianola@seas.upenn.edu)

Lisa Y. Chen, University of Pennsylvania

Jungho Shin, University of Pennsylvania

Mo-rigen He, University of Pennsylvania

Gunther Richter, Max-Planck-Institut für Intelligente Systeme

Linear defects in crystalline materials, known as dislocations, are central to the understanding of plastic deformation and mechanical strength, as well as control of performance in a variety of electronic and photonic materials. Despite a thorough understanding of dislocation structure and their interactions, measurements of the energetics and kinetics of dislocation nucleation have not been possible, as synthesizing and testing pristine crystals absent of defects has been prohibitively challenging. In this talk, experiments that directly measure the surface dislocation nucleation strengths in high quality  $\langle 110 \rangle$  Pd nanowhiskers subjected to uniaxial tension will be presented. We find that, whereas nucleation strengths are weakly size- and strain-rate-dependent, a strong temperature dependence is uncovered, corroborating predictions that nucleation is assisted by thermal fluctuations. We measure atomic-scale activation volumes, which explain both the ultrahigh athermal strength as well as the temperature-dependent scatter, evident in our experiments and well captured by a thermal activation model. Modeling of the probabilistic nature of surface dislocation nucleation suggests activation energies consistent with surface self-diffusion as the rate-limiting step needed to promote dislocative activity. In this context, approaches allowing for modification of the surface chemistry and structure of metallic nanostructures to either inhibit or enhance surface diffusion will be discussed.